

NIKKOLOR®

diamo forma al futuro

WE SHAPE THE FUTURE

PREMIUM PRODUCTS
AND SOLUTIONS FOR
HIGH-END FINISHES.



MADE IN
ITALY



PREMIUM
FINISHES



SUSTAINABLE
SOLUTIONS



QUALITY &
PROTECTION



FOR INTERIORS
AND EXTERIORS

ITALIAN DECORATIVE SURFACES

Contemporary materials,
refined textures,
timeless beauty.

Solutions designed for architects,
designers and professionals
who shape spaces and create value.



MICROCEMENTS



DECORATIVE PAINTS



PROTECTIVE FINISHES



MATERIAL EFFECTS



SOLUTIONS FOR
INTERIORS AND EXTERIORS

MADE IN ITALY



OUR PRODUCT RANGE

Complete solutions to design exclusive surfaces,
high performance and timeless beauty.



SURFACE PREPARATION

PRIMER BETON
PRIMER NK

High-performance solutions
to ensure adhesion, strength
and application continuity.



FLOOR AND WALL FINISHES

MICROCEM-FB
CEMENTO 3D
MARMURA
ETNA
TERRA VENEZIANA

Seamless surfaces
with a strong architectural
impact.



PROTECTIVE FINISHES

PRP Glass Protect
DECOR FINISH
PROTEKTO ECOSILAN
CREAM WAX

Advanced protection
for interiors and exteriors.



METAL EFFECTS COLLECTION

ARCHIMETAL
HIRIDIUM
PATINA
DARANÀ

Textured metallic effects
with a contemporary
character.



MARBLE COLLECTION

MARBLEX MIRROR

Depth, reflections
and aesthetic prestige.



LIME-BASED PRODUCTS

MARMORINO LIME
LIMEWASH PAINT

Mineral finishes
with authentic charm.



DECORATIVE FINISHES

ARDHEA
NAMIBIA
EMOTIONS
PERLA D'ORIENTE
METALLIKA XL
VELATURA SILOSSANICA

Exclusive decorations
for projects with
a strong personality.



PROFESSIONAL
QUALITY



RESEARCH AND
INNOVATION



HIGH PERFORMANCE
AND RELIABILITY



FOR INTERIORS
AND EXTERIORS

MICROCEM-FB

CONTINUOUS MICROCEMENT
FOR HIGH PERFORMANCE

JOINTLESS SURFACES.
BOUNDLESS DESIGN.



NO
DEMOLITION



REDUCED
THICKNESS



APPLICABLE ON
EXISTING SUBSTRATES



HIGH STRENGTH
AND DURABILITY



LIVING ROOM

Continuous flooring
natural cement effect



BATHROOM

Seamless covering
without joints



KITCHEN

Durable and resistant
tops and surfaces



SHOWER

Waterproof, elegant,
and easy to clean



OUTDOORS

Resistant to atmospheric agents
and UV rays



WALLS AND STAIRS

Aesthetic continuity,
without joints



HIGH ADHESION
TO EXISTING
SUBSTRATES



WATER
RESISTANT
WITH COMPLETE
CYCLE



HIGH
MECHANICAL
STRENGTH



SLIP RESISTANCE
CLASS R11



PREMIUM
MATERIALS



MICROCEM-FB

Engraved Marble

Surfaces that leave their mark.
Beauty that lasts.

ETNA

DECORATIVE COATING
VOLCANIC LAVA EFFECT

PRISTINE MATERIAL.
BEAUTY WITHOUT COMPROMISE.



VOLCANIC LAVA
EFFECT



HIGH STRENGTH
AND DURABILITY



WATERPROOF
AND BREATHABLE



RESISTANT TO UV RAYS
AND ATMOSPHERIC
AGENTS



LIVING ROOM

Continuous and textured
surface for design spaces




BATHROOM

Relaxing atmosphere
and seamless surfaces



KITCHEN

Elegance and durable
materials with total
functionality




SHOWER

Waterproof, elegant,
and easy to clean



OUTDOORS

Resistant to atmospheric
agents and UV rays



WALLS AND STAIRS

Aesthetic continuity
without joints



EXCELLENT ADHESION
TO EXISTING
SUBSTRATES



HIGH MECHANICAL
STRENGTH



RESISTANT TO UV RAYS
AND ATMOSPHERIC
AGENTS



WATERPROOF
AND BREATHABLE



ECO-FRIENDLY
LOW VOC CONTENT

TECHNICAL DATA

 Theoretical coverage	~ 1,5 – 2,0 m ² /L (2 coats)	 pH	> 9,0
 Application	Trowel / Spatula / Roller	 Appearance	Natural matt
 Drying time	Complete drying 24 h	 VOC	Very low
 Thinning	Ready to use	 Packaging	5 L / 15 L

NIKKOLOR[®]
ITALIA



www.nikkolor.net

Etna

The strength of nature,
beauty without time.



CEMENTO 3D

THREE-DIMENSIONAL
DECORATIVE COATING

DEEP MATERIAL EFFECT.
PERSONALITY IN RELIEF.



REALISTIC 3D
EFFECT



EXCLUSIVE
DESIGN



APPLICABLE ON
EXISTING SURFACES



HIGH STRENGTH
AND DURABILITY



LIVING ROOM

3D decorative coating
smooth cement effect



BATHROOM

3D elegant and
contemporary reliefs



KITCHEN

3D coating for environments
of design and character



SHOWER

Waterproof, resistant
and easy to clean



EXTERIOR WALLS

Resistant to atmospheric agents
and UV rays



HIGH ADHESION
TO EXISTING
SURFACES



RESISTANT TO
WATER AND
MOISTURE



HIGH MECHANICAL
STRENGTH



ANTI-MOLD,
ANTI-ALGAE AND
ANTI-BACTERIAL



ECO-FRIENDLY
LOW VOC
CONTENT

3D Cement

Depth you can see,
elegance you can feel.



TERRA VENEZIANA


Continuous decorative finish
with natural mineral grains

Smooth surface.
Authentic material.
Timeless elegance.

- Natural mineral grains
terraced Venetian
effect
- Continuous surface
without joints
- High strength
and durability over time
- Interior and
exterior use



BATHROOM
Continuous surface
with natural mineral grains



1. OPEN SPACE
Smooth surface, beautiful
and easy to live in. Natural effect,
without a superficial film.



2. BEDROOM WALLS
Protects decorative surfaces
and is easier to clean over time.
Safe for every environment.




3. OUTDOOR VERANDA
Resistant to atmospheric agents
and UV rays. Effective protection
for long-lasting exteriors.




KITCHEN
Beauty and functionality
for any surface.



SHOWER
Waterproof and
easy to clean.



EXTERIORS
Resistant to atmospheric
agents and UV rays.



WALLS AND STAIRS
Aesthetic continuity,
essence of design.



WATER-REPELLENT
Water rolls away,
keeping the surface
dry and adhering.



BREATHABLE
Allows vapor to escape,
letting the surface
breathe and avoid
humidity and mold.



RESISTANT TO UV RAYS
Does not yellow or
fade colors
over time.



**MOLD AND ALGAE
RESISTANT**
Prevents the formation
of mold, algae and
mildew.



ECO SUSTAINABLE
Water-based, without
formaldehyde added
and APEO-free.



EASY TO CLEAN
Always clean surfaces
with minimal maintenance
and maximum strength.

TECHNICAL DATA

- Coverage: ~ 10 m²/L (2 coats)
- Application: Trowel, roller, airless
- Drying time: Touch dry 2 h - fully cured 24 h
- Thinning: Ready to use

- Packaging: 2,5 L
- Finish: Matt
- pH: > 9,00
- VOC: Very low

- Application temperature:
+5°C / +35°C

Do not apply in the
presence of strong
sunlight, wind, rain
or frost

- Application recommended
for interiors and
exteriors

Wait for substrate
drying and correct
curing times

- Apply on clean,
dry and solid
surfaces

During application
and in the following 24 h,
protect from extreme
temperatures, frost
and humidity above 90%

- Store well closed
indoors, in a dry place,
away from sunlight

Preserve in a cool
place, away from
frost and sunlight

Terra Veneziana

The Venetian tradition,
timeless beauty that lasts forever.



MARMURA

CERAMIC SURFACE
WITH REAL CRYSTALS

LIGHT, DEPTH AND STRENGTH
IN A CONTINUOUS SURFACE



SMOOTH AND
CONTINUOUS EFFECT



REAL CRYSTALS
IN THE SURFACE



NO CHIPPING



HIGH STRENGTH
AND DURABILITY



LIVING ROOM

Continuous surface
bright ceramic effect



BATHROOM

Smooth elegance
with crystal reflections



KITCHEN

Resistant, refined,
without joints



SHOWER

Waterproof
and easy to clean



EXTERIORS

Resistant to atmospheric
agents and UV rays



WALLS AND STAIRS

Aesthetic continuity,
without design



HIGH ADHESION
TO EXISTING
SUBSTRATES



RESISTANT TO
WATER AND
HUMIDITY



HIGH MECHANICAL
STRENGTH



ANTI-MOLD,
ANTI-ALGAE AND
ANTI-BACTERIAL



ECO-FRIENDLY
LOW VOC
CONTENT



MarmUra

ceramics and crystals

The material transforms in light.
A beauty that lasts, an emotion that remains.

ARCHIMETAL

CONTINUOUS METALLIC DECORATIVE COATING
FOR HIGH-END INTERIOR WALLS

JOINTLESS SURFACES
REAL METAL EFFECT
CONTEMPORARY ARCHITECTURAL
AESTHETICS



AUTHENTIC
METAL EFFECT



CONTINUOUS SURFACE
WITHOUT JOINTS



HIGH STRENGTH
AND DURABILITY



IDEAL FOR RESIDENTIAL
AND COMMERCIAL SPACES



LIVING ROOM

Brass


Warm and refined elegance



BATHROOM

Bronze

Inviting and
sophisticated atmosphere



KITCHEN

Copper

Elegant and
contemporary reflections



OPEN SPACE

Tin

Modern and minimal style



SHOP / SHOWROOM

Brass

Strong visual impact
with a tailored personality

AVAILABLE FINISHES



PATINATED
BRASS



PATINATED
BRONZE



PATINATED
COPPER



PATINATED
TIN



CONTINUOUS
SURFACE
WITHOUT JOINTS



REAL
METAL
EFFECT



HIGH
STRENGTH
OVER TIME



IDEAL FOR
RESIDENTIAL AND
COMMERCIAL SPACES

ArchiMetal

The strength of metal,
the elegance of architecture.



PATINATED METAL

DECORATIVE METALLIC COATING
WITH AN OXIDIZED EFFECT FOR WALLS
AND SURFACES WITH STRONG IMPACT

LIVING MATERIAL.
AUTHENTIC DEPTH.



JOINTLESS CONTINUOUS SURFACES




AUTHENTIC OXIDIZED METAL EFFECT



MATERIAL AND CHROMATIC DEPTH



CONTEMPORARY ARCHITECTURAL
AESTHETICS



LIVING ROOM

Brass

Warm and refined elegance



LIVING ROOM

Material and
sophisticated atmosphere




STUDIO

Warm and
creative character



KITCHEN

Continuous
and elegant surfaces



OPEN SPACE

Unique depth
and contrasts



SHOP / SHOWROOM

Strong visual impact
and distinctive

AVAILABLE FINISHES



PATINATED
BRASS



PATINATED
COPPER



PATINATED
BRONZE



PATINATED
TIN



HIGH STRENGTH
AND DURABILITY




EASY TO CLEAN
AND MAINTAIN



ECO COMPATIBLE
WATER-BASED



CUSTOMIZABLE
IN COLORS AND
PATINAS



Patinated Metal

COPPER

Time leaves its mark.
Design makes it timeless.




MARMOMETAL

CONTINUOUS DECORATIVE COATING
MARBLE AND METAL EFFECT
FOR HIGH-END SURFACES

JOINTLESS SURFACES
REALISTIC MARBLE AND METAL EFFECT
CONTEMPORARY ARCHITECTURAL
AESTHETICS

AVAILABLE EFFECTS



MARBLE BLACK MARBLE FUSION MARBLEMETAL BRONZE MARBLEMETAL TIN MARBLEMETAL COPPER



AUTHENTIC
MARBLE METAL
EFFECT



CONTINUOUS SURFACE
WITHOUT JOINTS



HIGH STRENGTH
AND DURABILITY



IDEAL FOR RESIDENTIAL
AND COMMERCIAL
SPACES



MARBLE BLACK
Mablex Mirror Nero



MARBLE FUSION
Mablex Mirror Nero



MARBLEMETAL BRONZE
Mablex Mirror Nero



MARBLEMETAL TIN
Mablex Mirror Nero



MARBLEMETAL COPPER
Mablex Mirror Nero

AVAILABLE FINISHES



PATINATED
BRASS



PATINATED
BRONZE



PATINATED
COPPER



PATINATED
TIN



CONTINUOUS
SURFACE
WITHOUT JOINTS



REAL
MARBLE
EFFECT



HIGH
STRENGTH
OVER TIME



IDEAL FOR
RESIDENTIAL AND
COMMERCIAL SPACES

MarmoMetal Fusion

the fusion of marble and metal

Timeless elegance.
A strength that reflects.



MARBLEX MIRROR

DECORATIVE MINERAL COATING
WITH A SHINY AND DEEP
MARBLE-LIKE EFFECT

THE ELEGANCE OF MARBLE.
THE INNOVATION
OF THE FUTURE.



DEEP AND NATURAL
MIRROR-LIKE EFFECT



JOINTLESS CONTINUOUS
SURFACE




HIGH STRENGTH
AND DURABILITY



SUITABLE FOR INDOORS
AND OUTDOORS



IDEAL FOR WALLS, FURNITURE
AND DESIGN COMPLEMENTS



A IMPERIAL BLACK
WITH GOLD VEINS

CONTROLLED MIRROR FINISH
Depth, reflections and material
in perfect harmony.



B DEEP MARBLE
DARK TONES



C CALACATTA WHITE
TIMELESS ELEGANCE



REALISTIC APPEARANCE

Faithfully reproduces
the most precious
marbles.



ARTISAN APPLICATION

Every surface
is unique.



PROFESSIONAL GLOSS

Silicon carbide discs
grain 1000 and 3000.



ADVANCED PROTECTION

With Satin PVD Liquid Glass
for maximum resistance.



ECO-FRIENDLY

Very low VOC content,
formaldehyde-free
added.



VERSATILE

Ideal for walls, furniture,
bathrooms, kitchens
and much more.

KEY FEATURES



Deep mirror-like effect



Jointless continuous surface



High resistance to scratches and stains



Perfect for indoor and outdoor use



Waterproof and breathable



Easy to clean and hygienic



Long-lasting over time



Available in exclusive shades



Sophisticated design and timeless



Marblex Mirror

mirror marble

Reflects light.
Enhances design.

HIRIDIUM

CONTINUOUS METALLIC
DECORATIVE COATING
FOR HIGH-END WALLS
AND SURFACES

JOINTLESS SURFACES
REALISTIC METAL EFFECT
CONTEMPORARY ARCHITECTURAL
AESTHETICS



AUTHENTIC
METAL EFFECT



CONTINUOUS SURFACE
WITHOUT JOINTS



HIGH STRENGTH
AND DURABILITY



IDEAL FOR RESIDENTIAL
AND COMMERCIAL SPACES



LIVING ROOM

Graphene

Industrial and minimal design



BATHROOM

Corten

Intense and
enveloping atmosphere



KITCHEN

Graphene

Elegant and functional
metallic surfaces



OPEN SPACE

Mix Corten & Graphene

Harmony of contrasting
materials and contemporary



SHOP

Corten

Strong visual impact
and distinctive

AVAILABLE
FINISHES



GRAPHENE



CORTEN



CONTINUOUS
SURFACE
WITHOUT JOINTS



REALISTIC
METAL
EFFECT



HIGH STRENGTH
AND
DURABILITY



IDEAL FOR
RESIDENTIAL AND
COMMERCIAL SPACES

KEY FEATURES



Deep mirror-like effect



Jointless continuous surface



High resistance to scratches and stains



Perfect for indoor and outdoor use



Waterproof and breathable



Easy to clean and hygienic




Long-lasting over time



Available in exclusive shades



Sophisticated design and timeless



Hiridium

*the Corten
magnet test effect*

The timeless charm of Corten,
the freedom of limitless design.

ARDHEA

DECORATIVE MINERAL COATING
MARBLE EFFECT SOFT TOUCH

WARM MATERIAL.
ELEGANCE YOU FEEL.

Ardhea is the new decorative mineral coating that reinterprets marble with a soft, warm touch—pleasant to the eye and inviting to the touch.

AVAILABLE EFFECTS



ARDHEA
THERMAL MARBLE

ARDHEA
THERMAL VEIL

ARDHEA
SPATULATED



MARBLE
VELVET EFFECT



APPLIED IN
A SINGLE COAT



BREATHABLE
AND MINERAL



WARM TO THE TOUCH,
NOT COLD TO THE WALL



IDEAL FOR INDOORS,
WET AREAS
AND SHOWERS



CERAMIC MICROSPHERES
THERMAL COMFORT

AVAILABLE COLORS

32
TONES



ADDED
FORMALDEHYDE-FREE
FORMULATION



VERY LOW VOC
CONTENT



ANTIBACTERIAL
AND ANTIMOLD




CERAMIC MICROSPHERES
THERMAL COMFORT



IDEAL FOR INDOORS,
RESIDENTIAL
AND COMMERCIAL



ITALIAN DESIGN
AND PROFESSIONAL
QUALITY



ARDHEA

Marmo Termico

The beauty of marble,
the warmth that lasts.



MARMORINO LIME

DECORATIVE MINERAL COATING
BASED ON LIME FOR INTERIORS WITH
AN ESSENTIAL AND MATERIAL CHARACTER

LIVING MATERIAL.
TIMELESS ELEGANCE.



NATURAL AND MATERIAL
EFFECT



BREATHABLE AND
MOLD-RESISTANT



JOINTLESS CONTINUOUS
FINISH



CRAFTED TEXTURE
WITH SPATULA



AUTHENTIC AND REFINED
AESTHETIC



LIVING

Material and natural surfaces
for interiors with character



KITCHEN

Material and
functional style



BEDROOM

Intimate and
relaxing atmosphere



OPEN SPACE

Visual continuity
and material harmony



RETAIL

Discreet and
authentic elegance



STUDIO / RELAX AREA

Natural space
for well-being



BREATHABLE
Promotes the natural
well-being of
indoor environments



**NATURAL
AND MINERAL**
Based on selected
lime



HIGH ADHESION
Excellent adhesion
to various types
of support



**IDEAL FOR
INTERIORS**
Perfect for every room
in the home and
the workplace



**ECO-FRIENDLY
(LOW VOC)**
Respects the environment
and the quality
of the air

Marmorino Lime

Italian style

Timeless elegance,
beauty that breathes.



LIMEWASH PAINT

LIME-BASED MINERAL PAINT
FOR INTERIORS WITH AN ESSENTIAL AND NATURAL LOOK

LIVING MATERIAL.
NATURAL ELEGANCE.



NATURAL LIME EFFECT



BREATHABLE SURFACE



SOFT AND MATTE FINISH



AUTHENTIC AND TIMELESS AESTHETIC



LIVING

Material and natural surfaces
for relaxing environments



KITCHEN

Soft tones
and natural harmony



BEDROOM

Calm and relaxing
atmosphere



OPEN SPACE

Visual continuity
and material harmony



SHOP

Discreet
and authentic elegance



STUDIO / RELAXATION AREA

Natural space
for well-being



BREATHABLE

Promotes natural
well-being
in indoor environments



NATURAL
AND MINERAL

Lime-based
formula



HIGH ADHESION

Excellent adhesion
on various types
of surfaces



IDEAL FOR
INTERIORS

Perfect for every room
in the home
and the workplace



ECO-FRIENDLY
(LOW VOC)

Respects the environment
and air quality

TECHNICAL DATA



Theoretical coverage

~ 7 - 10 m²/L (2 coats)



Application

Brush, roller, sponge



Drying time

Dry to the touch 2 h - In depth 24 h



Thinning

Ready to use



Packaging

2,5 L / 5 L



Finish

Natural matte



pH

> 9,00



VOC

Very low



LimeWash Paint

lime and nature

The authentic breath of lime,
beauty without the time of nature.

METALLIKA XL

CONTINUOUS METALLIC DECORATIVE COATING
FOR HIGH-END INTERIOR WALLS AND FLOORS

STRIKING METALLIC EFFECT

DEPTH AND LUMINOUS REFLECTIONS

SEAMLESS SURFACES WITHOUT JOINTS

TIMELESS ELEGANCE



STRIKING AND
TRIDIMENSIONAL EFFECT



SEAMLESS SURFACES
WITHOUT JOINTS



HIGH RESISTANCE
AND DURABILITY




IDEAL FOR PREMIUM
LUXURY PROJECTS
AND DESIGN



LIVING ROOM

Liquid Steel


Contemporary elegance
and sophisticated reflections



BATHROOM

Liquid Steel

Welcoming and refined
atmosphere



KITCHEN

Liquid Gold

Warm and precious reflections
for exclusive spaces



OPEN SPACE

Liquid Steel

Minimal style and strong
visual impact



RETAIL / SHOWROOM

Liquid Gold

Prestige and personality
that stand out

FINISHES
AVAILABLE



LIQUID STEEL



LIQUID GOLD



SEAMLESS SURFACES
WITHOUT JOINTS



STRIKING METALLIC
EFFECT



HIGH RESISTANCE
OVER TIME



IDEAL FOR LUXURY
PROJECTS AND DESIGN

Metallika XL

Liquid Steel

The purity of metal
in its most fluid form.



NAMIBIA

THREE-DIMENSIONAL DECORATIVE COATING FABRIC EFFECT

Decorative coating based on nano-resins, selected crystals and metallic pigments, designed to create continuous surfaces of high aesthetic value.
Three-dimensional fabric texture with a soft touch, resistant to chemical agents and ideal for applications in interior and exterior environments.



HIGH PERFORMANCE
Resistant to detergents and sanitizers



JOINTLESS
Continuous surfaces without interruptions



BREATHABLE
Allows water vapor to pass through



HYGIENIC
Resistant to mold and bacteria



SCRATCH-RESISTANT AND FLEXIBLE
High resistance and durability



ECO-FRIENDLY
Very low VOC content
Without formaldehyde and APEO



1 ELEGANT OPEN SPACE - CHROME
Continuous surfaces for contemporary architecture.



2 BEDROOM - PURE GOLD
Visual comfort and advanced materiality.



3 KITCHEN - CHROME
Resistance and hygiene for technical environments.



4 WALL WITH DETAILS - PURE GOLD
Three-dimensionality that enhances the material.



**THREE-DIMENSIONAL
FABRIC EFFECT**
Unique depth
and materiality



**CHEMICAL AND SANITIZING
RESISTANCE**
Ideal for high-traffic
environments



**ANTIBACTERIAL
AND ANTI-MOLD**
Healthy and
protected spaces



BREATHABLE
Allows water vapor
to pass through



**SUSTAINABLE
ECO-FRIENDLY**
Very low VOC
Without formaldehyde
and APEO



**SIMPLE AND FAST
APPLICATION**
2 coats
ready to use

TECHNICAL DATA

Theoretical coverage	~ 10 m ² /L
Application	2 coats
Drying time	24 h (+20°C)
pH	> 9
VOC	Very low
Wash resistance	> 50,000 cycles

FINISHES



CHROME




PURE GOLD

NIKKOLOR
ITALIA
www.nikkolor.net

NAMIBIA

Essential beauty
that leaves a lasting mark.



EMOTIONS

THREE-DIMENSIONAL DECORATIVE MINERAL
VELVET EFFECT SOFT TOUCH

MATERIAL THAT CAN BE FELT.
ELEGANCE THAT IS LIVED.

Emotions is the decorative coating with a matte finish that gives surfaces soft and three-dimensional, with a refined velvet effect. Decisive design, unique sensation.



1. ELEGANT OPEN SPACE

Continuous surfaces without joints for modern environments and great design.



2. BEDROOM

Light, depth and softness for an intimate and welcoming space.



3. WALLS WITH DETAILS

The elegance of detail that enhances every room.



VELVET EFFECT
SOFT TOUCH



APPLICATION
IN TWO COATS



BREATHABLE
AND MINERAL



RESISTANT TO MOLD
AND BACTERIA



FORMALDEHYDE-FREE
AND APEO-FREE



32 COLORS
TO CHOOSE FROM

TECHNICAL DATA

	Theoretical coverage	~ 8-10 m ² /L (2 coats)
	Application	Brush, roller, airless
	Drying time	Touch dry in 2 h - In depth 24 h
	Thinning	Ready to use

	Finish	Velvet matte
	Composition	Based on selected minerals
	VOC	Very low
	Use	Interiors and exteriors

NIKKOLOR
ITALIA

ITALIAN
TECHNOLOGY

PROFESSIONAL
QUALITY

EXCEPTIONAL
RESULTS



www.nikkolor.net

Emotions

silk effect

The beauty you perceive,
the well-being you live.



PERLA D'ORIENTE

DECORATIVE COATING
PEARL SAND EFFECT

IMMEDIATE WOW EFFECT. ZERO COMPROMISES.

Transforms any wall into
a high-design surface.
Perla d'Oriente creates luminous
reflections and elegant depth with
a simple and fast application.



MORE PERCEIVED VALUE.

Increases the value of
every environment.



MORE VISUAL IMPACT.

Luminous reflections
that capture attention.



MORE DIFFERENCE.

Choose a unique style,
not just any paint.



1

ELEGANT OPEN SPACE

More light, more space,
more impact.



2

BEDROOM

Visual comfort and
refined atmosphere.



3

KITCHEN

Modern design
even in the most
lived-in areas.



4

ENTRYWAY

Makes an immediate
impact.
Stays in your
memory.



5

WALLS WITH DETAILS

Pearl textures that
enhance every project.



PEARL SAND
EFFECT WITH
HIGH IMPACT

Luminous reflections
and elegant depth.



SIMPLE AND FAST
APPLICATION

Easy to apply,
professional
result.



JOINTLESS
CONTINUOUS
SURFACES

Uniform solution
and design.



BREATHABLE
AND MINERAL

Lets walls breathe,
ideal for any
environment.



MOLD AND
BACTERIA
RESISTANT

Effective protection
over time.



LOW VOC
CONTENT

Respects the
environment
and health.



FORMALDEHYDE-
FREE

Safer for you,
safer for
others.



32 COLORS
TO CHOOSE FROM

Wide range of colors
for every style.

Perla d'Oriente

decorative sanded

The elegance of time,
the beauty of what is essential.




DARANÀ®

DECORATIVE SYSTEM LIQUID METAL EFFECT

**IT IS NOT A PAINT.
IT IS AN EVOLUTION OF MATTER.**

Daranà is an innovative system that reproduces real metal in liquid form. Three-dimensional surfaces that capture light and transform any environment into a work of design.



INOX



GOLD



REAL METAL EFFECT
Authentic and dynamic reflections



THREE-DIMENSIONAL SURFACE
Unique depth and materiality



APPLICATION WITH FOIL
Exclusive Daranà system



FOR WALLS, SOFT FURNISHINGS AND FURNITURE
Maximum versatility of use



HIGH AESTHETIC IMPACT
Perfect for design environments




1 ELEGANT OPEN SPACE – INOX
Contemporary design with refined metallic reflections.
Surfaces that enhance light and space.



2 BEDROOM – GOLD
Warm and sophisticated atmosphere.
Metal that becomes emotion.



3 KITCHEN – INOX
Resistance and design for modern environments.
Perfect balance of aesthetics and function.



4 DETAILS – GOLD
Three-dimensionality that enhances every surface.
Every wall becomes the protagonist.



REAL METAL EFFECT
Authentic and sophisticated reflections



THREE-DIMENSIONAL SURFACE
Depth, light and movement



APPLICATION WITH FOIL
Exclusive innovative Daranà system



FOR INTERIORS
Suitable for walls, soft furnishings, furniture and accessories



HIGH AESTHETIC IMPACT
Ideal for design and luxury environments



INNOVATIVE AND REFINED
Combines science, material and innovation

TECHNICAL DATA

- ① Coverage: approx. 14 m²
- ② Packaging size: 21 x 64 cm
- ③ Available colors: Inox / Gold
- ④ System: Daranà Foil + Decor Fix
- ⑤ Application: Interior



Package contents:
1 Daranà foil (14 m²)
+ 1 Decor Fix Lt 1

Daranà Gold

Liquid Metal

Luxury that shines.
The matter that enchants.



VELATURA SILOSSANICA

DECORATIVE FINISH VELVET EFFECT

IT IS NOT A WALL. IT IS A SENSATION.

Continuous surfaces, soft to the touch, that live in the light.
A velvet effect that transforms any environment
into something superior.

**MORE ELEGANT
THAN A PAINT**

**DEEPER
THAN A SIMPLE
FINISH**

**MORE RESISTANT
THAN IMAGES**



HIGH PERFORMANCE

Resistant to washing
and external agents



JOINTLESS

Continuous and uniform
surfaces



BREATHABLE

High vapor permeability



HYGIENIC

Mold and antibacterial



ECO-FRIENDLY

Very low VOC – APEO free



1. ELEGANT OPEN SPACE

Continuous design. No joints.
Immediate impact.



2. WALLS WITH DETAILS

Light glides. The material moves.
Every angle changes perception.



3. EXTERIOR HOUSE

Not just aesthetics.
Resistant, protective, long-lasting.



VELVET EFFECT SOFT TOUCH

Soft and three-
dimensional surfaces



EASY APPLICATION

Roller, brush
or airless



BREATHABLE AND MINERAL

Superior living
comfort



WASH-RESISTANT

> 5000 cycles
Gardner UNI 10795



MOLD-RESISTANT AND ANTIBACTERIAL

Protection
over time



SUSTAINABLE ECO-FRIENDLY

Formaldehyde-free
and APEO-free
Very low VOC

TECHNICAL DATA



Coverage: ~ 30 m²/L (1 coat)



Application: Roller / Brush / Airless



Drying time: 1 h surface – 24 h complete



pH: > 9



VOC: Very low



Tool cleaning: Water



Resistant
to washing
and external
agents



For interior
and exterior
use



High vapor
permeability



Mold and
antibacterial

VELATURA SILOSSANICA

The invisible protection,
the beauty you can see.



PRIMER BETON

SINGLE-COMPONENT ADHESION
PROMOTER PRIMER IN POWDER

THE PERFECT BASE FOR ADHESION AND STRENGTH.



Primer Beton is a single-component adhesion promoter primer in powder based on inert carbonaceous materials, capable of controlling granulometry, binding polymeric additives in powder, specific additives and short synthetic fibers.

The simultaneous presence of mineral and polymeric additives, organic charges and reinforcing fibers develops a synergistic action that increases the product's mechanical properties.



-  **HIGH ADHESION**
Ensures maximum adhesion on cementitious substrates and non-absorbent surfaces
-  **MECHANICAL STRENGTH**
Reinforcing synthetic fibers for high performance
-  **INTERIORS AND EXTERIORS**
Ideal for walls and floors
-  **COMPATIBLE**
On tiles, marble, plaster, cementitious and metal
-  **PREVENTS MOLD AND FUNGI**
Compliant with UNI EN 15457

APPLICATION METHOD

1 LAYING THE MESH	2 PREPARING THE MIXTURE	3 APPLYING THE PRODUCT	4 DRYING TIME	5 READY FOR DECORATIVE COATING
				
Lay the fiberglass mesh with a weight of 70/80 g/m ² , placed so that it does not overlap. Overlap the edges of the mesh by at least 10 cm.	- Pour into a clean container about 6 liters of potable water. - Slowly pour Primer Beton powder. - Mix with a low-speed mechanical mixer for several minutes until a completely homogeneous mixture is obtained.	Apply a single layer of Primer Beton using a stainless steel notched trowel to evenly adjust and plane the entire surface of the substrate (in some cases, unconnected pavements may be necessary: apply a second layer crosswise to the first).	Allow the product to dry completely for 24 hours (+20°C) and at 60% relative humidity. Do not apply coatings until the primer is completely dry.	Once dry, proceed with the application of the decorative coating of your choice according to the specific product instructions.

TECHNICAL DATA

-  Appearance: Powder
-  Color: White
-  Solids content: 100%
-  Dilution: ~300 ml of water per kg of product
-  Coverage: ~0.900 g/m² with thickness of approx. 1.5 mm in a single coat
-  Pot life of the mixture: 3h at +20°C
-  Granulometry G.F.: Max 0.5 mm
-  Nature of the aggregate: Siliceous/carbonaceous
-  Consistency: Thixotropic
-  Bulk density of the mixture: 1,500 Kg/m³
-  Packaging: 20 kg
-  Storage: Store the original container, tightly closed, in a dry place between +10°C and +25°C
-  UFI code: 0800-FOJY-8000-N9G7

ON-SITE APPLICATION CONDITIONS

 APPLICATION TEMPERATURE +5°C / +35°C	 RECOMMENDED APPLICATION FOR INTERIOR AND EXTERIOR WALLS AND FLOORS	 SURFACES MUST BE DRY AND CLEAN	 PROTECT WELL OPENINGS, DOORS, ETC.
 DO NOT APPLY TO WET SURFACES, GEL, OR IF RAIN IS EXPECTED WITHIN 24 HOURS	 IN CASE OF SURFACES EXPOSED TO EXCESSIVE HEAT, MOISTEN THE SURFACE WITH WATER	 OBSERVE THE DRYING TIME BEFORE APPLYING THE FINISH COATING	
 DURING APPLICATION AND WITHIN 24 HOURS, THE TEMPERATURE MUST NOT DROP BELOW +5°C AND HUMIDITY MUST NOT EXCEED 60%	 STORE IN A DRY PLACE, PROTECTED FROM HUMIDITY AND AWAY FROM DIRECT SUNLIGHT	 DO NOT APPLY IN THE PRESENCE OF SUN, WIND OR FROST	

 PEARL SAND VELVET EFFECT Soft and elegant reflections and depth	 SIMPLE AND FAST APPLICATION Easy to apply, professional result	 JOINTLESS CONTINUOUS SURFACES Uniform solution and design	 BREATHABLE AND MINERAL Lets walls breathe, ideal for any environment	 MOLD AND BACTERIA RESISTANT Effective protection over time	 LOW VOC CONTENT Respects the environment and health	 FORMALDEHYDE-FREE Safer for you, safer for others	 32 COLORS TO CHOOSE FROM Wide range of colors for every style.
--	--	---	--	--	---	---	--

 COMPLIES WITH STANDARD UNI EN 15457 (RESISTANCE TO FUNGAL GROWTH), FOR THE PRESENCE OF SPECIFIC ADDITIVES WITH A BROAD SPECTRUM OF ACTION, IT HELPS PREVENT THE FORMATION OF MOLD, FUNGI, ALGAE AND MOSS.



NIKKOLOR®
ITALIAN PAINTS

NIKKOLOR

PRIMER NK

ADHESION PROMOTER
AND UNIFORM BACKGROUND

THE ADHESION BRIDGE THAT MAKES THE DIFFERENCE.


Primer NK is an eco-friendly water-based formula made with inert resins, silica fillers, marble granules, inorganic pigments and specific additives that offer exceptional adhesion performance, high elasticity and a uniform background substrate, on surfaces such as concrete, plaster, drywall, wood panels, gypsum board, etc.

Primer NK is used as an adhesion promoter, ensuring extraordinary adhesion of decorative coatings on internal and external surfaces, even after a few months of treatment.



-  **EXTRAORDINARY ADHESION**
Promotes excellent adhesion on multiple supports.
-  **HIGH ELASTICITY**
Ensures strength and flexibility over time.
-  **FOR INTERIORS AND EXTERIORS**
Ideal for multiple applications, even on difficult surfaces.
-  **ECO-FRIENDLY**
Resin-based formula in water with respect for the environment.
-  **PREVENTS MOLD AND FUNGI**
Compliant with UNI EN 15457

APPLICATION METHOD

1 PREPARING THE SURFACES	2 PRODUCT READY TO USE	3 APPLYING THE PRODUCT	4 DRYING TIME	5 READY FOR COATING
				
Surfaces must be dry, solid, free from dust, paint, oil, loose parts and saltpetre.	The product is ready to use, but in some cases it can be diluted up to 5% with potable water.	Apply a single, even layer of product over the surface using a roller or brush.	Let dry for 24 hours at +20°C.	After 24 hours at +20°C, proceed with the application of the selected decorative coating.

TECHNICAL DATA			APPLICATION CONDITIONS		
 Color: Semi-transparent (milky white)	 Solubility in water: soluble	 Storage: at temperatures between +5°C and +35°C away from humidity	 USAGE TEMPERATURE: +5°C / +35°C	 RECOMMENDED FOR INTERIORS AND EXTERIOR WALLS AND FLOORS	 SURFACES MUST BE DRY AND CLEAN
 Appearance: Liquid	 Consumption: 6 to 8 m³/L	 Temperature limits for use: +5°C to +35°C	 DO NOT APPLY ON WET SURFACES, GEL OR IF RAIN IS EXPECTED WITHIN 24 HOURS	 IN CASE OF SURFACES EXPOSED TO EXCESSIVE HEAT, MOISTEN THE SURFACE WITH WATER	 OBSERVE THE DRYING TIME BEFORE APPLYING THE FINISH COATING
 pH: > 9	 Thickness: 300 µm	 Packaging: 1 L, 7 L and 2.5 L	 DURING APPLICATION AND WITHIN 24 HOURS, THE TEMPERATURE MUST NOT DROP BELOW 5°C	 STORE IN A DRY PLACE, PROTECTED FROM HUMIDITY AND AWAY FROM DIRECT SUNLIGHT	 DO NOT APPLY IN THE PRESENCE OF SUN, WIND OR FROST OR RAIN
 Thinning: Ready to use (dilutable up to 5% with potable water)	 Out of service at +23°C: approx. 3 hours depending on humidity	 Equipment cleaning: Water			
 Weight per liter: 1.5 kg/L	 Recoat time: 24h at +20°C	 Product code: 0800-FOJY-8000-N9G7			
 Dry residue: 67%					

 PEARL SAND VELVET EFFECT Soft and deep reflections and elegance.	 SIMPLE AND FAST APPLICATION Easy to apply, professional result.	 JOINTLESS CONTINUOUS SURFACES Uniform solution and design.	 BREATHABLE AND MINERAL Lets walls breathe, ideal for any environment.	 MOLD AND BACTERIA RESISTANT Effective protection over time.	 LOW VOC CONTENT Respects the environment and health.	 FORMALDEHYDE -FREE Safer for you, safer for others.	 32 COLORS TO CHOOSE FROM Wide range of colors for every style.
---	---	--	---	---	--	---	--

 **COMPLIES WITH UNI EN 15457 STANDARD (RESISTANCE TO FUNGAL GROWTH), FOR THE PRESENCE OF SPECIFIC ADDITIVES WITH A BROAD SPECTRUM OF ACTION, IT HELPS PREVENT THE FORMATION OF MOLD, FUNGI, ALGAE AND MOSS.**



NIKKOLOR
ITALIAN PAINTS



PRP GLASS PROTEKT

TRANSPARENT PROTECTION FOR CONTINUOUS SURFACES

SATIN AND MATT

SINGLE-COMPONENT PROTECTIVE VARNISH

PRP Glass Protect protects, seals and extends the life of decorative surfaces.

Resistant to water, chlorine, chemicals and wear.

Ideal for interior and exterior environments with high performance.



HIGH PROTECTION

Resistant to washing, chemicals and wear



JOINTLESS

Continuous and uniform surfaces



WATER REPELLENT

Repels water, oil and dirt



HYGIENIC

Mold and antibacterial



ECO FRIENDLY


Very low VOC – APEO free

**IT IS NOT
A FINISH.
IT IS AN
INVISIBLE SHIELD.**

Protects and extends the life of decorative surfaces.

Resistant to water, chlorine, chemicals and wear.

Ideal for interior and exterior environments with high performance.



1 SHOWER ENCLOSURES

Total waterproofing against water, steam and detergents.
Surfaces always clean and protected.



2 CONTINUOUS FLOORING

Highly resistant to foot traffic, wear and abrasion.
Reduces dirt buildup and makes cleaning easier.



3 SWIMMING POOL

Resistant to chlorine, salt water and UV rays.
Perfect for immersed surfaces.



WATER AND OIL REPELLENT

Repels water, oil and stains



RESISTANT TO CHLORINE AND SALT

Ideal for swimming pools and marine environments



HIGH RESISTANCE TO WEAR

Protects against wear and abrasion



MOLD AND BACTERIA RESISTANT

Reduces the proliferation of mold and bacteria



UV AND WEATHER PROTECTION

Does not yellow, resists over time



EASY TO CLEAN

Smooth surfaces, less dirt buildup

TECHNICAL DATA

Coverage	~ 7 – 8 m ² /L (2 coats)
Application	Roller / Brush / Airless
Drying time	24 h at +20°C
Finish	Satin / Matte

Resistance	High chemical and mechanical
Dilution	Ready to use
VOC	Very low
Tool cleaning	Water





DECOR FINISH

NANOSTRUCTURED PROTECTIVE VARNISH

TRANSPARENT • WATERPROOF • RESISTANT • DURABLE

Transparent finish with high performance for continuous surfaces. Protects, seals and enhances floors and coatings for interiors and exteriors, ensuring maximum resistance and durability over time.



TOTAL PROTECTION

Waterproof and dustproof



HIGH RESISTANCE

Resistant to wear, abrasions and thermal shocks



EASY TO CLEAN

Surfaces always clean with minimal maintenance



ECO FRIENDLY

Low-impact formula without harmful solvents



WATERPROOF

Resistant to water, chlorine and chemical agents



SUITABLE FOR TRAFFIC

Resistant to traffic and heavy trolleys



SLIP RESISTANT

Class A (DIN 51097)
R11 (DIN 51130)



EASY APPLICATION

2/3 coats with short-pile roller



PROFESSIONAL PERFORMANCE

LONG-LASTING RESULTS



1. SHOWER ENCLOSURES

Total waterproofing against water and steam. Durable protection even in extreme conditions.



2. CONTINUOUS FLOORING

Resistant to foot traffic, wear and abrasions. Perfect for residential and commercial environments.



3. WALLS AND COATINGS

Protects and enhances decorative surfaces. Ideal for interior and exterior use, even in humid environments.



WATERPROOF

Protects against water, humidity and stains



SUITABLE FOR TRAFFIC

Resistant to traffic and heavy trolleys



RESISTANT TO WEAR

High resistance to abrasions and scratches



RESISTANT TO THERMAL SHOCKS

Up to 70°C



MOLD AND BACTERIA RESISTANT

Healthier and safer environments



EASY TO WASH

Simple cleaning, no complicated procedures



WITHOUT ORGANIC SOLVENTS

Odorless, safe and low-impact

TECHNICAL DATA

Coverage	8/10 m ² /L (1 coat)
Application	2/3 coats with short-pile roller
Drying time	24 h at +20°C
Slip resistance	Class A (DIN 51097) – R11 (DIN 51130)
Package	2.5 L

Operating temperature	Up to 70°C
Finish available	Satin – Matte
Walkable in	36 h
Use	Water and furnishings after 10 days
Dilution	Ready to use



ProteKto EcoSilán

HYDROPHOBIC TRANSPARENT PROTECTIVE

PROTECTS IN DEPTH. LET BEAUTY BREATHE.

ProteKto EcoSilán is a colorless protective based on silanes and siloxanes in water emulsion that penetrates deeply and protects without altering the natural appearance of surfaces.

Hydrophobic, breathable and resistant to UV rays for long-lasting protection.



WATER REPELLENT

Blocks water, not vapor.



BREATHABLE

Keeps surfaces dry and healthy.



RESISTANT TO UV RAYS

Does not turn yellow and does not alter colors.



LONG-LASTING PROTECTION

Permanent action over time.



INVISIBLE PROTECTION,
VISIBLE RESULTS.



1. OPEN SPACE

Protected, beautiful and easy-to-live-in surfaces. Natural look, no surface film.



2. BEDROOM WALL

Protects decorative surfaces and keeps them clean for longer. Safe for any environment.



3. OUTDOOR VERANDA

Resistant to weathering agents and UV rays. Effective long-lasting protection.



WATER REPELLENT

Water, stains and dirt slide off easily.



BREATHABLE

Allows vapor to escape, preventing humidity and mold.



RESISTANT TO UV RAYS

Does not turn yellow and keeps colors unchanged.



MOLD AND MILDEW RESISTANT

Prevents the formation of mold, algae and fungi.



SUSTAINABLE ECO-FRIENDLY

Water-based, with no formaldehyde and APEO.



EASY TO CLEAN

Surfaces always clean with minimal maintenance and maximum resistance.

TECHNICAL DATA

📦 Coverage:	~ 10 m ² /L (2 coats)
🖌️ Application:	Brush, roller, airless
🕒 Drying time:	Touch dry in 2 h - Full depth in 24 h
🧴 Dilution:	Ready to use

📦 Package:	2.5 L
📦 Appearance:	Colorless
🌡️ pH:	> 9.00
🌿 VOC:	Very low



EXCELLENT ADHESION
ON EXISTING SUBSTRATES



HIGH
MECHANICAL STRENGTH



RESISTANT TO UV RAYS
AND WEATHERING AGENTS



WATERPROOF
AND BREATHABLE



ECO-FRIENDLY
WITH LOW VOC CONTENT



NIKKOLOR
ITALIAN PAINTS



CREAM WAX

VELVET PROTECTIVE FOR DECORATIVE SURFACES

**PROTECTS. ENHANCES.
LASTS OVER TIME.**

Paraffin wax based on water, ready to use.
Creates an easy-to-clean velvet layer,
resistant and durable, without altering
the natural appearance of surfaces.



VELVET SOFT TOUCH

Elegant and natural
soft touch finish



ADVANCED PROTECTION

Protects and enhances
decorative surfaces



EASY TO CLEAN

Just a damp cloth
in microfibre



BREATHABLE

Lets surfaces breathe



LOW VOC

Low environmental impact



FORMALDEHYDE-FREE* AND APEO-FREE**

Safe for you, your home
and the environment



THE FINAL TOUCH
THAT MAKES
THE DIFFERENCE



1. OPEN SPACE

Elegant surfaces,
easy to maintain.
Invisible protection,
long-lasting result.



2. BEDROOM

Velvet effect to the touch.
Beauty that stands
the test of time.



3. WALLS WITH DETAILS

Protects the finish
without altering it.
Perfect for design
environments.



WATER REPELLENT
Blocks water
and dirt penetration



DURABLE PROTECTION
Long-lasting
performance



EASY TO CLEAN
Surfaces always clean
with minimal
maintenance



BREATHABLE
Maintains the natural
breathability
of the substrate



ECO FRIENDLY
Low VOC content,
environmentally
friendly



**FORMALDEHYDE-FREE
AND APEO-FREE**
Safe for your health

TECHNICAL DATA

Coverage:	~ 63 g/m ² for two coats	Cleaning recoat:	7 days
Application:	Stainless steel trowel	Tool cleaning:	Water
Drying time:	6 h between coats - 12 h complete (+20°C)	Packaging:	2.5 L - 1 L
Polishing:	With buffer and wool pad	Storage:	24 months (+10°C / +35°C)

NIKKOLOR
ITALIA



ITALIAN
TECHNOLOGY



PROFESSIONAL
QUALITY



EXCEPTIONAL
RESULTS



www.nikkolor.net

*APEO-free indicates that the product is free from APEO (alkylphenol ethoxylates), substances that are harmful to the environment and aquatic organisms.

**From 1st January 2016 in Italy, formaldehyde is classified as a carcinogenic substance, mutagenic to germ cells and toxic for reproduction.



NIKKOLOR
ITALIAN PRINTS

CREAM WAX

MICROCEM-FB

Material essence.
Timeless design.



ROCK CEMENT

The strength of matter.
Elegance without time.



MarmoMetal

The material transforms.
The light leaves its mark.





Hiridium Graphene

The future has a surface.
Resistant. Pure. Revolutionary.

PATINATED METAL

TIN

Authentic refinement,
crafted in balance and material.





PATINATED METAL

BRASS


Timeless elegance,
made to last.

PATINATED METAL

BRONZE

The material that illuminates
every space with timeless character.





PATINATED METAL

COPPER

Time leaves its mark,
beauty remains.



Daranà Inox


Liquid Metal

The future has a liquid surface.
Beauty that reflects, elegance that lasts.

Daranà Gold

Liquid Metal

Where design meets eternity,
matter becomes legend.



NAMIBIA


Inspired by the strength of nature,
designed to leave a lasting mark.



Metallika XL

Liquid Gold

The elegance of metal
in its most precious form.



EVERY SURFACE HAS ITS OWN **SOUL.**

Material comes to life
through refined textures,
exclusive finishes and a design
language that enhances
every environment.



A modern interior space featuring a large, textured wall on the right. To the left, a long, narrow column is illuminated from within, casting a warm glow. In the background, a low table holds a vase with dried flowers and a bowl. The floor is polished and reflects the ambient light. A portion of a sofa with a dark throw blanket is visible in the bottom right corner.

INSPIRED BY MATERIALS.
CREATED **TO LAST.**

Italian decorative solutions
that combine innovation,
aesthetics and functionality
for timeless projects.

NIKKOLOR
made in Italy

WE SHAPE THE FUTURE

Decorative surfaces
that transform every
project into
something unique.



ITALIAN DECORATIVE SURFACES



www.nikkolor.net



nikkolor@gmail.com



+39 0931 941789



[nikkolor_italia](#)

ITALIAN TECHNOLOGY • PROFESSIONAL QUALITY • EXCEPTIONAL RESULTS